

MOTIP Rust Converter Spray

Ord.-no.: 04133

Technical Information



MOTIP Rust Converter is a rust converter and primer in one work step. Excellently suitable for the restoration of vehicles, machines and all kinds of facilities. This rust restoration system on epoxy resin basis merges with the neutralized rust layer to a metallic-organic iron complex. This black, very compact protection layer builds the primer and is the basis for the subsequent, durable lacquer finish.

Quality & properties

- Polymer system with epoxy
- Ideal base for durable lacquering
- Free of lead and zinc chromate
- User-friendly
- Very effective
- Heat resistant up to 160°C

Physical & chemical data

- Base: Special combi resin
- Colourname: amber
- Smell: Characteristic
- Minimum Working Temperature: 10 °C
- Maximum Working Temperature: 30 °C
- Storage stability: 10 y
- Content: 400 ML

How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- Pre Treatment: The surface should be clean, dry and free of grease. Remove loose rust and subsurface rustings.
- Treatment: The surface should be clean, dry and free of grease. The aerosol should have room temperature. Best processing temperature 10 to 25°C. Before use, shake the aerosol for 2 minutes and spray a sample. Distance to the surface to be treated approximately 25 to 30 centimetre.
- Re-coatable after approx. 6 hours.
- Additional stoving makes the protective coat especially resistant to water-, saltwater and solvents. Let the sprayed coat dry for 15 minutes, then stove for 15 minutes at 160°C.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

As of August 16, 2024 – This release replaces all eventually earlier issued versions.