

MOTIP Engine Oil Flush

Ord.-no.: 090611

Technical Information



Solve pollution of the oil system in the car engine with MOTIP Engine Oil Flush. Engine Oil Flush is suitable for use in all diesel and petrol engines with or without a turbocharger. Neutralizes aggressive residues from the combustion process. Reliably dissolves contamination and resin formations in the entire oil system caused by engine operation, which can then easily be removed with the used oil during the oil change. Engine Oil Flush contains highly-effective anti-friction lubricants that reliably protect the engine during the cleaning process.

Quality & properties

- Avoids recontamination of fresh oil with residues and deposits from used oil
- Lastingly removes deposits and residues from the upper cylinder area e.g. from piston rings, annular gaps, hydraulic valve lifter and valve train
- Does not contain environmentally harmful chlorine paraffins

Physical & chemical data

- Colourname: no colour
- Vapour pressure: 5/20 bar
- Flash point: 68 °C
- Content: 300 ML

How to use

- Before use, carefully read the directions on the packaging and act accordingly.
- Add to the oil system before every oil change.
- Let the engine idle for approx. 15-20 minutes.
- Change the oil according to the manufacturer's instructions. 300ml is sufficient for 5 liters of oil. For larger capacities add 60 ml per liter of oil.
- Product can be disposed of as waste oil.

Environmentally sound

European Aerosols is committed to apply formulations without restricted or critical ingredients and to achieve best possible performance. The caps and packagings are made of recyclable material.

Disposal

Only the completely emptied cans should be put into the recycling skip or appropriate container for reclaimable refuse. Cans which are not empty should be disposed off as "special refuse".

Marking/Labelling

All products made by European Aerosols comply with the actual labelling regulations according to Preparation Guideline 1999/45/EG. All aerosols correspond to TRGS 200 and TRG 300 as well as to aerosol guideline 75/324/EWG in the actually valid version.

For any further technical questions call our hotline +31 (0) 561 69 44 00 from Monday to Thursday from 9 h a.m. to 3 h p.m. or on Friday until 12 h p.m.

As of August 17, 2022 – This release replaces all eventually earlier issued versions.